# **Bronze Material Pulse Water Meter Body With Incoming Quality** Controlled

## **Basic Information**

. Place of Origin: **CHINA** . Brand Name: **TSTY** ISO 9000 · Certification: **ACCORDINGLY** Model Number: Minimum Order Quantity: **NEGOTIATION** • Price: **USD EUR RMB** 

 Packaging Details: STANDARD EXPORT PACKAGE

• Delivery Time: 4-8 WEEKS

• Supply Ability: 500000 PCS PER MOUTH



# **Product Specification**

MATERIAL: **BRONZE** SIZE: DN15-DN50 **COLD WATER** MEDIA:

SURFACE TREATMENT: NATURAL POWDER COATING NICKLE

**PLATING** 

• Highlight: multi jet water meter body,

water flow meter body



## **Product Description**

Item	Bronze Material Pulse Water Meter Body With Incoming Quality Controlled
Material	C83600,C84400,CC491K,CC499K, etc.
Dimension	DN13, DN15,DN20,DN25,DN32,DN40,DN50
Finish	Natural, Powder coating, Nickle Plating
Connection	Threaded or Flanged
Process	Automatic Sand casting, Shell molding
Machining Equipments	IMR gravity casting machinin, Japan automatic casting line,CNC,CNC Lathe,Transfer machine for water meters,etc
Inspection Equipements	Spectrometer for material composition analysis CMM for diemsion check 100% leakage test with 0.6MPa - 0.8MPa by air. 100% thread inspection
Design	OEM/ODM
Sampe requested	Yes
MOQ	500-2000pcs
Price Term	Ex-works, FOB,CIF, etc



### INTRODUCTION

Shanghai Tianshen Copper Group Co., Ltd, established in 1992, is a professional manufacturer for copper materials and parts. With the development of 25 years, Tianshen has set up two facilities in Shanghai and Zhejiang as the manufacture base. By adoption of the advanced and automatic equipments, Tianshen focuses on providing high quality products throughout various industries, such as faucet, water meter, valve, plumbing, power, connector etc. With the high quality, excellent service and competitive price, Tianshen has become long-term strategic suppliers for many well-known brands all over the world.

### OURPROCESS

Gravity casting Centrifugal casting Continuous casting / Extrusion Automatic sand easting Hot forging

### OUR ADVANTAGES:

Comprehensive manufacture process from raw material to finished parts

—Devoted to whole process control and continuous improvements Well equiped with modern devices and professional personnel ---Share advanced technology and experience
Multiple ways of production process from casting to forging --- Meet various needs of clients

Long-term partnership with top international companies ----Stay competitive and focus on excellence

### MAIN PRODUCTS

Water meters and couplings OEM Brass/Bronze/ Lead free parts Brass/Bronze/ Lead free Ingots Brass/Bronze/ Copper Coils/Strips Brass/Bronze/ Copper Sheets/Plates

Valves and fittings ETP Copper Bus bar Brass/Bronze/ Lead free Rods





电性等核点。广泛用于建筑、机械制造、汽车、电子电器、集 成电路、宝压器、电缆及各种电气设备等行业。



# PRODUCT DISPLAY

产品展示

























# PRODUCT DISPLAY



# 卫浴系列





















## 水表系列























# **COPPER INGOT**

洁、易赖先、广泛用于卫生洁具、果肉制造等行业。尤 其选用于重力消除和使压物者工艺生产水龙头和揭

Be provided with high density, good liquidity, pure copper content, glass surface, easy polishing etc., respecially good at fluories and valves by gravity dis casting and low pressure casting with high qualified rate and low cost.









# **COPPER BAR**

铜榉系列

通过技能和抵制工艺生产,具有良好的热冲压和 切削性能。备有面形、六角形多种形状。





REE Street lar





# COPPER STRIPS 铜带、铅带系列

### 产品介绍 Product Introd

成电路、变压器、电缆及各种电气设备等行业。

Be provided with secolated ductility, deep-dewarp performance, plating conductivity etc., and widely used in additionar, monthalms invariablems, need motor, electronic and electric equipments, irregulated crossis, transferrers, cable airs.









# TESTING WORKSHOP

检测设备

# **EQUIPMENT EXHIBITION**

## 设备展示













# Elena Wang Sales engineer

# Shanghai Tianshen Copper Group Co., LTD Zhejiang Zhonghan Alloy Materials Co., Ltd

Add: Rm4 A-D Meixin Building, No. 728 Mid Xizang Rd, Shanghai, China Post Code:200001

Tel: 0086-21-63522470-232 Fax: 0086-21-63521617 Mob: 0086-15801804206 E-mail: elena.wang@shtsty.cn

http://www.shtsty.cn















